

Accessories

AMF-BRUNS PROTEKTOR®

Wheelchair and Occupant restraint system



www.amf-bruns.de

PROTEKTOR-System Wheelchair and occupant restraints

AMF-Bruns has been developing and manufacturing retractor systems for many years before all the other suppliers of restraint systems entered the market.


The first 4 point system for wheelchairs and occupants was sold in the 1970's.

At that time AMF-Bruns invented a wheelchair retractor to tighten the wheelchair, it was 20 years later, that others followed AMF-Bruns idea.

Meanwhile the PROTEKTOR® system sets the standard worldwide - often copied, but never equalled! Of course, this knowledge and know how is still reflected in our actual restraint system.

New developments like the monosystem, are subsequent developments of our actual system and, of course, totally compatible.

Like these, the PROTEKTOR® system gets even more easy, faster and safer to use, than any other product on the market.



To ensure ultimate safety AMF-Bruns goes further. - Good is not good enough for us!

AMF-Bruns is the world's leading company for webbing safety systems for wheelchairs and occupants. Production follows the strict rules of the ISO 9001 standard.

On top of this AMF-Bruns works permanently in different national & international meetings, has their own testing facilities and, also test at organisations like TÜV, BAST, DTC, UTAC.

The result is a proven, ultimately safe system, which meets all the requirements of its users, the PROTEKTOR® system.

STANDARDS

The AMF-Bruns PROTEKTOR® System fulfills, for example, ISO 10542-1 + 2, DIN 75078-2, CSA Z 605, FMSS/CNVSS, AS 2596, SAE J 2249, 2001/85/EC.

SAFE DIVERSITY

The PROTEKTOR® occupant and wheelchair restraint system offers a number of variations.

For the installation to the vehicle floor the PROTEKTOR® System offers 4 stud fitting and Mono fitting.

For the fortification on the wheelchair the system offers loops, hooks or carabiners.

Whether you use the manuel **BLACKSERIES** or the automatic **SILVERSERIES**, the PROTEKTOR® System offers proven safety according to ISO 10542, regardless of what variations you choose.

Simply choose the system that best suits your needs.



BLACKSERIES

- manual pull-out and semi automatic self-tensioning system
- lightweight ABS-Cover



PROTEKTOR-System BLACKSERIES

Wheelchair restraint system

GENERAL NOTE!

Static belt only for front attachment.

RETRACTOR SYSTEM WITH LOOP

4 STUD FITTING AT 40°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 B LV with loop
and 4 stud fitting at 40°,
flexible**

- 2 x retractor belt LV
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 502 LV



**PROTEKTOR®-System
Pro 4 B LV with loop
and 4 stud fitting at 40°,
flexible**

- 4 x retractor belt LV
- 1 x pelvis belt

Item-No. H 350 504 LV

4 STUD FITTING TWISTED 40/90°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 B LG with loop
and 4 stud fitting twisted
40/90°, flexible**

- 2 x retractor belt LG
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 502 LG



**PROTEKTOR®-System
Pro 4 B LG with loop
and 4 stud fitting twisted
40/90°, flexible**

- 4 x retractor belt LG
- 1 x pelvis belt

Item-No. H 350 504 LG

4 STUD FITTING FLAT FLEXIBLE



PROTEKTOR®-System
Pro 2 B LF with loop
and **4 stud fitting,**
flat flexible

- 2 x retractor belt LF
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 502 LF



PROTEKTOR®-System
Pro 4 B LF with loop
and **4 stud fitting,**
flat flexible

- 4 x retractor belt LF
- 1 x pelvis belt

Item-No. H 350 504 LF

MONO FITTING AT 40°



PROTEKTOR®-System
Pro 2 B LM with loop
and **Mono fitting at 40°**

- 2 x retractor belt LM
- 2 x static belt LM
- 1 x pelvis belt

Item-No. H 350 502 LM



PROTEKTOR®-System
Pro 4 B LM with loop
and **Mono fitting at 40°**

- 4 x retractor belt LM
- 1 x pelvis belt

Item-No. H 350 504 LM

RETRACTOR SYSTEM WITH HOOK

4 STUD FITTING AT 40°, FLEXIBLE



PROTEKTOR®-System
Pro 2 B HV with hook
and **4 stud fitting**
at 40°, flexible

- 2 x retractor belt HV
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 522 HV

4 STUD FITTING AT 40°, FLEXIBLE



PROTEKTOR®-System
Pro 4 B HV with hook
and 4 stud fitting
at 40°, flexible

- 4 x retractor belt HV
- 1 x pelvis belt

Item-No. H 350 524 HV

4 STUD FITTING TWISTED AT 40/90°, FLEXIBLE



PROTEKTOR®-System
Pro 2 B HG with hook **and**
4 stud fitting twisted
40/90°, flexible

- 2 x retractor belt HG
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 522 HG



PROTEKTOR®-System
Pro 4 B HG with hook **and**
4 stud fitting twisted
40/90°, flexible

- 4 x retractor belt HG
- 1 x pelvis belt

Item-No. H 350 524 HG

4 STUD FITTING FLAT FLEXIBLE



PROTEKTOR®-System
Pro 2 B HF with hook
and 4 stud fitting,
flat flexible

- 2 x retractor belt HF
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 522 HF



PROTEKTOR®-System
Pro 4 B HF with hook
and 4 stud fitting,
flat flexible

- 4 x retractor belt HF
- 1 x pelvis belt

Item-No. H 350 524 HF

MONO FITTING AT 40°



**PROTEKTOR®-System
Pro 2 B HM with **hook**
and **Mono fitting at 40°****

- 2 x retractor belt HM
- 2 x static belt HM
- 1 x pelvis belt

Item-No. H 350 522 HM



**PROTEKTOR®-System
Pro 4 B HM with **hook**
and **Mono fitting at 40°****

- 4 x retractor belt HM
- 1 x pelvis belt

Item-No. H 350 524 HM

RETRACTOR SYSTEM WITH CARABINER

4 STUD FITTING AT 40°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 B CV with **carabiner**
and **4 stud fitting**
at 40°, flexible**

- 2 x retractor belt CV
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 552 CV



**PROTEKTOR®-System
Pro 4 B CV with **carabiner**
and **4 stud fitting**
at 40°, flexible**

- 4 x retractor belt CV
- 1 x pelvis belt

Item-No. H 350 554 CV

4 STUD FITTING 40/90°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 B CG with **carabiner**
and **4 stud fitting twisted**
40/90°, flexible**

- 2 x retractor belt CG
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 552 CG

4 STUD FITTING TWISTED AT 40/90°, FLEXIBLE



PROTEKTOR®-System
Pro 4 B CG with carabiner
and 4 stud fitting twisted
40/90°, flexible

- 2 x retractor belt CG
- 2 x static belt CV

Item-No. H 350 554 CG

4 STUD FITTING FLAT FLEXIBLE



PROTEKTOR®-System
Pro 2 B CF with carabiner
and 4 stud fitting,
flat flexible

- 2 x retractor belt CF
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 552 CF



PROTEKTOR®-System
Pro 4 B CF with carabiner
and 4 stud fitting,
flat flexible

- 4 x retractor belt CF
- 1 x pelvis belt

Item-No. H 350 554 CF

MONO FITTING 40°



PROTEKTOR®-System
Pro 2 B CM with carabiner
and Mono fitting at 40°

- 2 x retractor belt CM
- 2 x static belt CM
- 1 x pelvis belt

Item-No. H 350 552 CM



PROTEKTOR®-System
Pro 4 B CM with carabiner
and Mono fitting at 40°

- 4 x retractor belt CM
- 1 x pelvis belt

Item-No. H 350 554 CM

RETRACTORS

RETRACTOR WITH LOOP



Retractor B LV
with **loop** and
4 stud fitting at 40°, flexible

Item-No.
H 350 509 LV



Retractor B LG
with **loop** and
4 stud fitting twisted 40/90°, flexible

Item-No.
H 350 509 LG



Retractor B LF
with **loop** and
4 stud fitting, flat flexible

Item-No.
H 350 509 LF



Retractor B LM
with **loop** and
Mono fitting at 40°

Item-No.
H 350 509 LM

RETRACTOR WITH HOOK



Retractor B HV
with **hook** and
4 stud fitting at 40°, flexible

Item-No.
H 350 534 HV



Retractor B HG
with **hook** and
4 stud fitting twisted 40/90°, flexible

Item-No.
H 350 534 HG



Retractor B HF
with **hook** and
4 stud fitting flat flexible

Item-No.
H 350 534 HF



Retractor B HM
with **hook** and
Mono fitting at 40°

Item-No.
H 350 534 HM

RETRACTOR WITH CARABINER



Retractor B CV
with **carabiner** and
4 stud fitting at 40°, flexible

Item-No.
H 350 564 CV



Retractor B CG
with **carabiner** and
4 stud fitting twisted 40/90°, flexible

Item-No.
H 350 564 CG

RETRACTOR WITH CARABINER



Retractor B CF
with **carabiner** and
4 stud fitting,
flat flexible

Item-No.
H 350 564 CF



Retractor B CM
with **carabiner** and
Mono fitting at 40°

Item-No.
H 350 564 CM

STATIC BELTS

STATIC BELT WITH 4 STUD FITTING



Static belt LV
with **loop**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 510 LV



Static belt HV
with **hook**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 535 HV



Static belt CV
with **carabiner**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 565 CV

STATIC BELT WITH MONO FITTING



Static belt LM
with **loop**
and **Mono fitting**
(front attachment)

Item-No.
H 350 510 LM



Static belt HM
with **hook**
and **Mono fitting**
(front attachment)

Item-No.
H 350 535 HM



Static belt CM
with **carabiner**
and **Mono fitting**
(front attachment)

Item-No.
H 350 565 CM

ELECTRIC BELT



Electric belt L
with loop,
length 3,6 m
(front attachment)

Item-No.
H 350 240 L



Electric belt H
with hook,
length 3,6 m
(front attachment)

Item-No.
H 350 240 H



Electric belt C
with carabiner,
length 3,6 m
(front attachment)

Item-No.
H 350 240 C



Cover complete
for electric belt
(front attachment)

Item-No.
H 350 634



Cover
for electric belt
(front attachment)

Item-No.
H 350 632



Cover floor
for electric belt
(front attachment)

Item-No.
H 350 633

SILVERSERIES

- fully automatic pull-out and self-tensioning system
- robust zinc diecasting cover



PROTEKTOR-System SILVERSERIES

Wheelchair restraint system

GENERAL NOTE!

Static belt only for front attachment.

RETRACTOR SYSTEM WITH LOOP

4 STUD FITTING AT 40°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 S LV with loop
and 4 stud fitting
at 40°, flexible**

- 2 x retractor belt LV
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 501 LV



**PROTEKTOR®-System
Pro 4 S LV with loop
and 4 stud fitting
at 40°, flexible**

- 4 x retractor belt LV
- 1 x pelvis belt

Item-No. H 350 503 LV


4 STUD FITTING TWISTED 40/90°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 S LG with loop
and 4 stud fitting twisted
40/90°, flexible**

- 2 x retractor belt LG
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 501 LG



**PROTEKTOR®-System
Pro 4 S LG with loop
and 4 stud fitting twisted
40/90°, flexible**

- 4 x retractor belt LG
- 1 x pelvis belt

Item-No. H 350 503 LG

4 STUD FITTING, FLAT FLEXIBLE



**PROTEKTOR®-System
Pro 2 S LF with loop
and 4 stud fitting,
flat flexible**

- 2 x retractor belt LF
- 2 x static belt LV
- 1 x pelvis belt

Item-No. H 350 501 LF



**PROTEKTOR®-System
Pro 4 S LF with loop
and 4 stud fitting,
flat flexible**

- 4 x retractor belt LF
- 1 x pelvis belt

Item-No. H 350 503 LF

MONO FITTING AT 40°



**PROTEKTOR®-System
Pro 2 S LM with loop
and Mono fitting at 40°**

- 2 x retractor belt LM
- 2 x static belt LM
- 1 x pelvis belt

Item-No. H350 501 LM



**PROTEKTOR®-System
Pro 4 S LM with loop
and Mono fitting at 40°**

- 4 x retractor belt LM
- 1 x pelvis belt

Item-No. H 350 503 LM

RETRACTOR SYSTEM WITH HOOK

4 STUD FITTING 40°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 S HV with hook
and 4 stud fitting
at 40°, flexible**

- 2 x retractor belt HV
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 520 HV

4 STUD FITTING 40°, FLEXIBLE



PROTEKTOR®-System
Pro 4 S HV with hook
and **4 stud fitting**
at **40°, flexible**

- 4 x retractor belt HV
- 1 x pelvis belt

Item-No. H350 525 HV

4 STUD FITTING TWISTED 40/90°, FLEXIBLE



PROTEKTOR®-System
Pro 2 S HG with hook
and **4 stud fitting twisted**
40/90°, flexible

- 2 x retractor belt HG
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 520 HG



PROTEKTOR®-System
Pro 4 S HG with hook
and **4 stud fitting twisted**
40/90°, flexible

- 4 x retractor belt HG
- 1 x pelvis belt

Item-No. H 350 525 HG

4 STUD FITTING, FLAT FLEXIBLE



PROTEKTOR®-System
Pro 2 S HF with hook
and **4 stud fitting,**
flat flexible

- 2 x retractor belt HF
- 2 x static belt HV
- 1 x pelvis belt

Item-No. H 350 520 HF



PROTEKTOR®-System
Pro 4 S HF with hook
and **4 stud fitting,**
flat flexible

- 4 x retractor belt
- 1 x pelvis belt

Item-No. H 350 525 HF

MONO FITTING AT 40°



**PROTEKTOR®-System
Pro 2 S HM with hook
and Mono fitting at 40°**

- 2 x retractor belt HM
- 2 x static belt HM
- 1 x pelvis belt

Item-No. H 350 520 HM



**PROTEKTOR®-System
Pro 4 S HM with hook
and Mono fitting at 40°**

- 4 x retractor belt HM
- 1 x pelvis belt

Item-No. H 350 525 HM

RETRACTOR SYSTEM WITH CARABINER

4 STUD FITTING AT 40°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 S CV with carabiner
and 4 stud fitting at 40°,
flexible**

- 2 x retractor belt CV
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 550 CV



**PROTEKTOR®-System
Pro 4 S CV with carabiner
and 4 stud fitting at 40°,
flexible**

- 4 x retractor belt CV
- 1 x pelvis belt

Item-No. H350 555 CV

4 STUD FITTING TWISTED 40/90°, FLEXIBLE



**PROTEKTOR®-System
Pro 2 S CG with carabiner
and 4 stud fitting twisted
40/90°, flexible**

- 2 x retractor belt CG
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 550 CG

4 STUD FITTING TWISTED 40/90°, FLEXIBLE



PROTEKTOR®-System
Pro 4 S CG with **carabiner**
and **4 stud fitting twisted 40/90°, flexible**

- 4 x retractor belt CG
- 1 x pelvis belt

Item-No. H 350 555 CG

4 STUD FITTING, FLAT FLEXIBLE



PROTEKTOR®-System
Pro 2 S CF with **carabiner**
and **4 stud fitting, flat flexible**

- 2 x retractor belt CF
- 2 x static belt CV
- 1 x pelvis belt

Item-No. H 350 550 CF



PROTEKTOR®-System
Pro 4 S CF with **carabiner**
and **4 stud fitting, flat flexible**

- 4 x retractor belt CF
- 1 x pelvis belt

Item-No. H 350 555 CF

MONO FITTING AT 40°



PROTEKTOR®-System
Pro 2 S CM with **carabiner**
and **Mono fitting at 40°**

- 2 x retractor belt CM
- 2 x static belt CM
- 1 x pelvis belt

Item-No. H 350 550 CM



PROTEKTOR®-System
Pro 4 CM with **carabiner**
and **Mono fitting at 40°**

- 4 x retractor belt CM
- 1 x pelvis belt

Item-No. H 350 555 CM

RETRACTORS

RETRACTOR WITH LOOP



Retractor S LV
with **loop** and
4 stud fitting
at **40°**, **flexible**

Item-No.
H 350 505 LV



Retractor S LG
with **loop** and
4 stud fitting
twisted 40/90°,
flexible

Item-No.
H 350 505 LG



Retractor S LF
with **loop** and
4 stud fitting,
flat flexible

Item-No.
H 350 505 LF



Retractor S LM
with **loop**
and **Mono fitting**
at **40°**

Item-No.
H 350 505 LM

RETRACTOR WITH HOOK



Retractor S HV
with **hook** and
4 stud fitting
flexible at 40°

Item-No.
H 350 530 HV



Retractor S HG
with **hook** and
4 stud fitting
twisted, 40/90°,
flexible

Item-No.
H 350 530 HG



Retractor S HF
with **hook** and
4 stud fitting,
flat flexible

Item-No.
H 350 530 HF



Retractor S HM
with **hook**
and **Mono fitting**
at **40°**

Item-No.
H 350 530 HM

RETRACTOR WITH CARABINER



Retractor S CV
with **carabiner** and
4 stud fitting
flexible at 40°

Item-No.
H 350 560 CV



Retractor S CG
with **carabiner** and
4 stud fitting
twisted 40/90°,
flexible

Item-No.
H 350 560 CG

RETRACTOR WITH CARABINER



Retractor S CF
with **carabiner** and
4 stud fitting,
flat flexible

Item-No.
H 350 560 CF



Retractor S CM
with **carabiner**
and **Mono fitting**
at 40°

Item-No.
H 350 560 CM

STATIC BELTS

STATIC BELT WITH 4 STUD FITTING



Static belt LV
with **loop**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 510 LV



Static belt HV
with **hook**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 535 HV



Static belt CV
with **carabiner**
and **4 stud fitting**
(front attachment)

Item-No.
H 350 565 CV

STATIC BELT WITH MONO FITTING



Static belt LM
with **loop**
and **Mono fitting**
(front attachment)

Item-No.
H 350 510 LM



Static belt HM
with **hook**
and **Mono fitting**
(front attachment)

Item-No.
H 350 535 HM



Static belt CM
with **carabiner**
and **Mono fitting**
(front attachment)

Item-No.
H 350 565 CM

ELECTRIC BELT



Electric belt L
with loop,
length 3,6 m
(front attachment)

Item-No.
H 350 240 L



Electric belt H
with hook,
length 3,6 m
(front attachment)

Item-No.
H 350 240 H



Electric belt C
with carabiner,
length 3,6 m
(front attachment)

Item-No.
H 350 240 C



Cover complete
for electric belt
(front attachment)

Item-No.
H 350 634



Cover
for electric belt
(front attachment)

Item-No.
H 350 632



Cover floor
for electric belt
(front attachment)

Item-No.
H 350 633

PROTEKTOR-System
Accessories



OCCUPANT RESTRAINT SYSTEM



Pelvis belt

Standard length
Item-No.
H 350 200

XL Version
Item-No.
H 350 198



Automatic pelvis belt with flexible buckle

Item-No.
H 350 205



Automatic pelvis belt

Item-No.
H 350 207



Flexible buckle length 300 mm

Item-No.
H 350 210



Automatic shoulder belt without height adjustment

Item-No.
H 350 225



Automatic shoulder belt (height adjustable)

Item-No.
H 350 235



Automatic shoulder belt without height adjustment incl. two 4 stud fittings

Item-No.
H 350 250



Automatic shoulder belt with height adjustment incl. two 4 stud fittings

Item-No.
H 350 239



Static shoulder belt

Item-No.
H 350 226



Static shoulder belt with buckle, two part

Item-No.
H 350 227

OCCUPANT RESTRAINT SYSTEM



**Automatic
3-Point-Belt
with height
adjustment
incl. tongue**

Item-No.
H 350 231



**Automatic
3 point belt
without height
adjustment**

Item-No.
H 350 230



**Automatic
3-Point-Belt
without height
adjustment incl.
two 4 stud fittings**

Item-No.
H 350 251



**Automatic
3-Point-Belt
with height
adjustment incl.
two 4 stud fittings**

Item-No.
H 350 252



**WAV Automatic
3-Point-Belt
with height
adjustment and
two flexible
buckles, 300 mm**

Item-No.
H 350 233



**WAV Automatic
3-Point-Belt
without height
adjustment and
two flexible
buckles, 300 mm**

Item-No.
H 350 232



Harnessbelt
(only in combination
with shoulder belt)

Item-No. 350 222



Easy-Bag
for restraint system

Item-No. 10019363

ACCESSORIES



Headrest

W 330 - 410 mm
Item-No.
H 150 259

W 400 - 480 mm
Item-No.
H 150 258



Secure belt
300 mm

Item-No.
H 350 238

ACCESSORIES



Floor pocket

Item-No.
200269390



Breast belt

180 cm length

Item-No. H 150 222

160 cm length

Item-No. H 150 223

110 cm length

Item-No. H 150 224

FLOOR SYSTEMS



PROTEKTOR® Surface track

not predrilled

1000 mm length

Item-No. H 150 132

1500 mm length

Item-No. H 150 134

1750 mm length

Item-No. H 150 135


3000 mm length

Item-No. H 150 136

predrilled

3000 mm length

Item-No. H 150 385



PROTEKTOR® Insert track

not predrilled

1750 mm length

Item-No. H 150 120

3500 mm length

Item-No. H 150 130

predrilled

3500 mm length

Item-No. H 150 375



Mono fitting (complete)

Item-No.
H 150 915
with Bolt M12
50 mm



Mono fitting (head piece)

Item-No.
H 150 916
with Bolt M12
50 mm

FLOOR SYSTEMS




Monodisc
(floor)
Item-No.
H 150 917
with Bolt M12
50 mm



Mono fitting
with 40°
Item-No.
H 150 619




4 stud fitting
Item-No.
2002 11247



4 stud fitting
with bolt
Item-No.
H 150 615




4 stud fitting
40° bracket
Item-No.
H 150 616




4 stud fitting
twisted 40°/90°
Item-No.
H 150 617



4 stud fitting
flat
Item-No.
H 150 618



End cap for
surface track
Item-No.
200 261 878



End cap for
insert track
Item-No.
200 261 840

FUTURE**SAFE**® - patented safety from AMF-Bruns

With the easy to use head- and backrest
FUTURE**SAFE**®, AMF-Bruns is setting a new
standard of safety.

Various crashtests show clearly:
FUTURE**SAFE**® ensures the highest level
of safety in case of a rear impact.

On the top of this the integrated shoulderbelt
ensures the essential safety in case of a front
impact.

FUTURE**SAFE**® - The only incorporated safety
system with head- and backrest.

Available as floor and sidewall mounted
solution.



FUTURE**SAFE**® AMF-Bruns provides tested
head- and backrest for wheelchair users.
Only AMF-BRUNS possesses patented 20G front
impacted and 10G rear impacted head & back supports.

- Maximum confidence
- Reliable, space-saving and comfortable
- Complies with dynamic crash-tests
(Euro-NCAP 10G rear-end collision)
- Suitable for minibuses and cut
floor vehicles
- Includes approved integrated shoulder belt
- Height-adjustable – fits different wheelchairs
- Easy to handle in the vehicle
- Separate, 180° rotatable head- and
back support
- Flexible and easy to move thanks to
airline rail in floor
- The FUTURE**SAFE**® floormounted i.c.w.
Smartfloor is a TÜV tested solution for
shoulderbelt use.



NOTE



Das **Plus**
Sicherheit!

NOTE

[illegible]

NOTE



AMF-Bruns GmbH & Co. KG | Hauptstraße 101 | D - 26689 Apen
Telefon +49 (0) 44 89 / 72 - 72 37 | Fax +49 (0) 44 89 / 62 45
hubmatik@amf-bruns.de

www.amf-bruns.de

